

DEBUTS OF WOODY PLANTS IN CULTIVATION

Data on Introduction and First Appearances -- in relation to those in Rehder's MANUAL OF CULTIVATED TREES AND SHRUBS,
Ed. 1940.

P. J. van Melle

These data are submitted by way of a casual contribution rather than of an exhaustive study. They represent an accumulation in the compiler's notes -- many of them by-products of other inquiries. The years or blanks in the right-hand columns are those occurring in the MANUAL. Except in the few instances marked "("*)" the nomenclature employed is that of the MANUAL.

The presentation of these data in relation to that work implies no criticism of it. On the contrary, the MANUAL is regarded as a great central structure, about which minor contributions like this cluster themselves like little shops between buttresses of a cathedral. The method saves needless duplication of information conveniently available. Only such data are given here as are at variance with, or not given in the MANUAL. Data of this kind should perhaps always be regarded as more or less tentative -- subject to adjustment upon further investigation. Some allowances should be made for misidentifications of materials in the sources cited. Reasonable care has been exercised to avoid cases of discernible misidentifications.

Intriguing as is the subject of plant debuts, it appears not to have been explored exhaustively. Partly because of the greater accessibility of English literature, much is known, comparatively, about introductions into England, and little about those into continental Europe, the records of which are, moreover, for a large part not readily available. Too little is known popularly about the important introductions from Japan by von Siebold and by Maximowicz, and those by Russian travellers, from Siberia, Mongolia and North-China. Specialized investigation might bring out worth-while facts about seeds and living plants received in Paris from the French missionary, Armand David, of whose introductions little is known. Among them is probably, for instance, the comparatively important Pfitzer Juniper of gardens.

Much study remains to be made of the history of plant introductions before it can be viewed in a proper perspective and in relation to explorations projected from many lands.

A few titles of periodicals, catalogs and other works appearing in the lists in more or less abbreviated form

- A.H.B. *Annales d'Horticulture et de Botanique.*
Leiden, 1858--1862. Published by von Siebold and W. H. de Vriese. Devoted largely to plants brought from Japan and from Java.
- Ann. Soc. Agricult. *Annales de la Société d'Agriculture et de Botanique de Gand.*
- Bretschneider E. Bretschneider - *History of European Botanical Discoveries in China.* 1898.
- Bull. F.S. *Bulletin de la Fédération des Sociétés d'Horticulture en Belgique.*
- Cox E. H. M. Cox - *Plant Hunting in China.* 1945.
- Gartfl. *Gartenflora.*
- Hort. Berol. *Hortus Berolinensis.* A catalogue of the Botanical Garden at Berlin.
- Hort. Breit. *Hortus Breiterianus.* A catalog of a semi-commercial botanical collection maintained in Leipzig by Christian August Breiter. 1817.
- Hort. Dinegro A catalog, by D. Viviani, of a botanical collection privately owned by J. Car. Dinegro, in Genoa. 1802.
- Illustr. Hortic. .. *L'Illustration Horticole.*
- Leiden Many data otherwise unannotated of plants cultivated in Leiden have been derived from a jubilee publication: *Hortus Academicus Lugduno Batavus*, by H. Veendorp and Baas Becking, 1938. Other data have been derived from old indices of this Academic Garden.
- Montreuil Refers to a "Catalogue des Arbres dans les jardins de M. Lemonnier à Montreuil - copie sur de ms. de l'auteur, dont M. le Prof. Adrien de Jussieu

est en possession." It is dated 1774. We found it, in the library of the New York Botanical Garden, bound in a "Catalogue méthodique des végétaux cultivés dans le Jardin des Plantes de la Ville de Versailles", by F. H. Philipp, 1843.

Pavlovsk Refers to a catalog, by I. A. Weinmann, of an Imperial Garden in Pavlovsk, near Petrograd.

Prince Catalogs of the Wm. Prince nursery - the "Linnaean Botanic Garden" - Flushing.

Rev. Hortic. Revue Horticole.

Soc. Gardeners "Catalogue of Trees, Shrubs, Plants and Flowers both exotic and domestic which are propagated for sale in the Gardens near London". By "A Society of Gardeners". 1730. - The similarity of the style of this work to that of Philip Miller's Gardeners Dictionary suggests that he compiled or edited it.

Von Siebold & Co. . The catalogs referred to include the "Kruidkundige Naamlijsten" in the 1844 and 1845 yearbooks of the Nederlandsch Koninklijke Maatschappij tot Aanmoediging v. d. Tuinbouw. (These Yearbooks are the "Annuaires Pays-bas" of some authors).

Von Siebold "Sur l'Etat de l'Horticulture au Japon et sur l'Importance des plantes usuelles et d'ornement introduites et cultivées dans le Jardin d'Acclimation de M. Ph. von Siebold à Leide". A brochure by von Siebold. 1863.

Uppsala Hortus Upsalensis, 1748. - A catalog, by Linnaeus, of his garden at Uppsala.

<i>Abelia grandiflora</i>	Journal d'Horticulture Fratique IV 1847: 67 --	
<i>Abies Frazeri prostrata</i>	then cult. as <i>A. rupestris</i>	Orig. bef. 1880
<i>Gartfl.</i> 1856: 69 - At Rinz, Frankfurt, as <i>A.</i>		
<i>hudsonica</i> (<i>A. F.</i> var. <i>pumila</i>)		
<i>Nordmanniana</i>	<i>Monza</i> 1845, as <i>Picea N.</i>	Int. 1848
<i>Veitchii</i>	<i>Hovey's Magazine</i> 1863: 10 - Int. by Thos. Hogg into	
<i>Acanthopanax Sieboldianus</i>	the U. S., 1862, as <i>A. Veitchiana</i>	Int. 1865
<i>Acer campestre</i>	<i>A.H.B.</i> 1858: 185 - Int. before 1858	Cult. 1859
<i>campestre tauricum</i>	Soc. Gardeners - Cult. 1750	
<i>caudatum</i>	<i>Monza</i> 1844	
<i>floridantum</i>	<i>Illustr. Hortic.</i> 1854 - Cult. at Chiswick	Cult. 1910
<i>hybridum</i>	<i>Prince</i> , 1851, as <i>A. floridum</i> - "Flowering Maple"	Int. ?
<i>japonicum</i>	<i>Monza</i> 1842	
<i>laevigatum</i>	Von Siebold & Co. Catalog 1844	Int. 1864
<i>Lobelli</i>	<i>Bull. F.S.</i> 1864: 254 - Cult. in Belgium 1864	Int. 1907
<i>Negundo aureo-var.</i>	<i>Naples</i> 1819	Cult. 1838
<i>californicum</i>	<i>Bull. F.S.</i> 1864: 256 - Cult. in Belgium 1864	
<i>oblongum</i>	<i>Bull. F.S.</i> 1864: 256 - Cult. in Belgium 1864	Cult. 1865
<i>palmatum dissectum</i>	<i>Leiden</i> 1851	Int. 1901
<i>platanoïdes palmatifidum</i>	<i>Pavia</i> 1797, as <i>A. dissectum</i> ?	
<i>Pseudoplatanus Leopoldii</i>	<i>Bull. F.S.</i> 1864: 255 - Cult. in Belgium 1864	
<i>variegatum</i>	<i>Gartfl.</i> 1865: 237 - At Booth nursery, Hamburg	
<i>rubrum tomentosum</i>	Soc. Gardeners - Cult. 1750	
<i>rufinerve</i>	Hort. Breiter, 1817, as <i>A. tomentosum</i>	
<i>Aesculus californica</i>	Cox : 95 - Int. to Petrograd by Maximowicz before 1865	Int. 1879
<i>carnnea</i>	<i>Gartfl.</i> 1855: 36 - Survived the winter in England, 1855. Listed as <i>Pavia c.</i>	Int. 1855
<i>Hippocast. albo-var.</i>	Montpellier 1814 (from Trianon Gardens)	Orig. bef. 1818
var.)	<i>Bull. F.S.</i> 1864: 256 - Cult. in Belgium (fol. arg.-	

<i>Aesculus Hippocast.</i>		
<i>Baumanii</i>	Tuinbouwflora 1856: 29 - Orig. by Bauman before 1825	
<i>luteo-var.</i>	Gartfl. 1855: 232 - Dble-white form cult. 1576	
	Bull. F.S. 1864: 256 - Cult. in Belgium (fol. aureo-var.)	
<i>hybrida</i>	Monza 1813. Montpellier 1813 (from Trianon Garden)	Orig. bef. 1815
<i>parviflora</i>	Leiden 1719	Int. bef. 1785
<i>Pavia atrosanguinea</i>	Monza 1813, as <i>A. fl. rubra</i>	
<i>turbinata</i>	Int. by v. Siebold to Leiden 1860-62	Int. bef. 1880
<i>Aethionena cordifolium</i>	Vienna 1843. Prague 1844	
<i>Alengium platanifolium</i>	Von Siebold & Co. Catalog 1848, as <i>Marlea P.</i>	
<i>Alnus cordata</i>	Naples 1812, as <i>A. cordifolia</i>	Int. 1867
<i>fruticosa</i>	Gartfl. 1865: 24 - then cultivated at Petrograd	Int. 1820
<i>glutinosa quercifolia</i>	Monza 1842. Vienna 1842	Qult. 1888
<i>hirsuta Rupr.</i>	Gartfl. 1862: 15 - Cult. at Petrograd as <i>A. h. Fisch.</i> Qult. 1888	
<i>sibirica</i>	Gartfl. 1862: 15 - Cult. at Petrograd as <i>A. sib. Fisch.</i>	
<i>incana acuminata</i>	Gartfl. 1862: 15 - Cult. at Petrograd, as var. <i>laciniata</i>	
<i>maritima</i>	Monza 1813	Int. 1878
<i>subcordata</i>	Monza 1844	Int. 1860
<i>Ampelopsis breviped.elegans</i>	Int. by v. Sieb. to Leiden, 1829, as <i>Cissus heterophylla</i> fol. pictis	Qult. 1855
<i>Maximowiczii</i>	Int. by v. Sieb. to Leiden, 1855	Qult. 1868
<i>Orientalis</i>	Strasbourg 1807, as <i>Cissus or.</i>	Int. 1818
<i>Andromeda angustifolia</i>	Kew 1811, as <i>A. polifolia angustifolia</i>	Qult. 1879
<i>glaucocephylla latifolia</i>	Monza 1814, as <i>A. polifolia latifolia</i>	
<i>Aralia chinensis</i>	Prague 1776	Int. ?
<i>Arctostaphylos Uva-ursi</i>	Prague 1776, as <i>Arbutus U.-u.</i>	Cult. 1800
<i>Arctous alpinus</i>	Montreuil 1774. Prague 1776, as <i>Arbutus alp. (?)</i>	Cult. 1789
<i>Aristolochia Kaempferi</i>	Von Siebold & Co. Catalog 1841 - Int. by v.S. in 1841 Qult. 1854	

<i>Aronia arbutifolia</i>	Löden 1686	Int. abt. 1700
<i>Artemisia Abrotanum</i>	Upsala 1748	Long cult.
<i>austriaca</i>	Hort. Dinégro, Génova 1802	Cult. 1810
<i>camphorata</i>	Naples 1812	Cult. 1820
<i>pontica</i>	Upsala 1748 (Art. no. 3)	Cult. 1810
<i>salina</i>	Naples 1812	Cult. 1935
<i>Asparagus verticillatus</i>	Montréuil 1774	Cult. 1894
<i>Astragalus massiliensis</i>	Prague 1776, as <i>A. Tragacantha</i>	Cult. 1783
<i>Astraphaxis frutescens</i>	Upsala 1748, as <i>Polygonum fr.</i>	Cult. 1770
<i>Atriplex portulacoides</i>	Prague 1776	Cult. 1800
<i>Berberis buxifolia nana</i>	Rev. Hortic. 1867: 260 - Cult. as <i>B. dulcis nana</i>	Cult. 1750
<i>canadensis</i>	Löden 1690	Cult. 1827
<i>empetrifolia</i>	Hort. Breiter. 1817, as <i>B. empetrifolia</i> Willd.	Cult. 1827
<i>turcomanica integrerrima</i>	Cracow 1864, as <i>B. int.</i>	Cult. 1827
<i>vulgaris enuclea</i>	Soc. Gardeners - Cult., London, 1730	Cult. 1827
<i>alba</i>	Soc. Gardeners - Cult., London, 1730	Cult. 1827
<i>Betula davurica</i>	Monza 1842	Cult. 1883
<i>Ermanii</i>	Gartfl. 1862: 15 - then cult. in Pétrograd	Cult. 1880
<i>fruticosa</i>	Monza 1813	Cult. 1876
<i>glandulosa</i>	Monza 1844	Int. 1880
<i>mandshurica kamtschatk.</i>	Gartfl. 1862: 15 - then cult. in Pétrograd, as <i>B. camts.</i>	Cult. 1917
<i>Middendorffii</i>	Jardin du Crest, Genève 1896	Cult. 1904
<i>pendula fastigiata</i>	Rev. Hortic. 1872: 24 - Cult. 1871	Cult. 1904
<i>purpureis</i>	Rev. Hortic. 1875: 96 - Int. in 1875, by Paillot	Cult. 1789
<i>nana</i>	Montréuil 1774. Prague 1776	Int. abt. 1844
<i>Broussonetia Kasinoki</i>	Von Siebold & Co. Catalog 1844 - Int. by v. S. 1843	Cult. 1880
<i>Bruckenthalia spiculifolia</i>	Vienna 1843, as <i>B. spiculiflora</i>	Orig. abt. 1870
<i>Buddleia intermedia</i>	Rev. Hortic. 1873: 151 - Orig. by Carrière in 1871	Int. abt. 1866
<i>japonica</i>	Rev. Hortic. 1867: 289 - Cult., Paris Museum 1865	Cult. 1873
<i>salvifolia</i>	Amsterdam 1857	Cult. 1873

<i>Buxus semperv. angustifol.</i>	Freibourg 1829	
<i>semperv. myrtifolia</i>	Monza 1814	Int. 1857
<i>Callocarpe dichotoma</i>	Von Siebold & Co. Catalog 1845	
<i>japonica</i>	Von Siebold & Co. Catalog 1844, as <i>C. Murasaki</i> , Int. 1841	Int. abt. 1845
<i>Calligonum aphyllum</i>	Naples 1812, as <i>C. Pallasii</i>	
<i>polygonoides</i>	Prague 1776	Cult. 1893
<i>Calycanthus fert. ferax</i>	Hort. Berol. 1807, as <i>C. laevigatus</i>	Cult. 1880
<i>fertilis nanus</i>	Monza 1813, as <i>C. nanus</i>	
<i>Calycotome spinosa</i>	Prague 1844	Cult. 1846
<i>villosa</i>	Prague 1844	
<i>Camphorosma monspeliaca</i>	Prague 1776. Pavia 1797	
<i>Campsis grfl. Thunbergii</i>	Von Siebold & Co. Catalog 1845	
<i>Caragana arborescens</i>	Uppsala 1748, as <i>C. sibirica</i>	Int. 1752
<i>frutex</i>	Uppsala 1748, as <i>Robinia no. 3</i>	Int. 1752
<i>pygmaea</i>	Uppsala 1748, as <i>Robinia no. 4</i>	Int. 1751
<i>Carpinus Bet. Carpinizza</i>	Vienna 1842	
<i>Betula incisa</i>	Monza 1842	
<i>pendula</i>	Bull. F.S. 1864: 259 - Cult. 1864	
<i>quercifolia</i>	Monza 1813	
<i>caroliniana</i>	Soc. Gardener's - Cult., London, 1730	Int. 1812
<i>Cassiope hypnoides</i>	Prague 1776, as <i>Andromeda h.</i>	Int. 1798
<i>tetragona</i>	Prague 1776, as <i>Andromeda t.</i>	Int. 1810
<i>Catalpa bignon. nana</i>	Rev. Hortic. 1872: 200, as <i>C. Kaempferi</i> - From seed, received at Paris Museum in 1838	
<i>Bungei</i>	Rev. Hortic. 1872: 200 - From seed received at Paris Museum in 1838	Cult. 1877
<i>Oenothera ovatus</i>	Montpellier 1813	Cult. 1830
<i>Celastrus orbic. punctata</i>	Von Siebold & Co. Catalog 1845, as <i>C. punctatus</i>	
<i>Celtis australis</i>	Soc. Gardener's - Cult., London, 1730. Montrœuil 1774	Int. 1796
<i>glabrata</i>	Prague 1844 - obtained from Petrograd	Cult. 1870

- Celtis occid. crassifol.* .. Monza 1813 Int. abt. 1825
pumila Prince, Catalog 1851 Int. 1876
Tournefortii Soc. Gardeners' - Cult., London, 1790 (*fructo luteo* Int. 1739
angustiore) Amsterdām 1857, as *Plumbago Larpetae*
Ceratostigma plumbeum Von Sieb. Co. Cat. - From Theijsmann, Java, 1843, as Int. bef. 1850
Cercis chinensis *C. japonica*
Chaenomeles lagenaria Sertum Botanicum 1832 - In Europe since 1796, as *P.* Int. bef. 1800
jaP.
Chamaecyparis nootkatensis Carrière, Traité Gén. des Conif. - Into France from Int. 1853
nootkensis glauca Cartfl. 1856; 83 - Cult., Petrograd, 1856 Int. 1853
obtusa brevirostris Bretschneider I: 610 - Living plants from Japan by
Maximowicz, 1864, as *Chamaecyp. brevirostris* Int. 1919
nana aurea Bull. F.S. 1866: 117 - Exhib. in Belgium, 1865
pisifera squarrosa Int. into Netherlands by von Sieb. before 1855 as
Retinospora squarrosa Int. 1843
 Note: The "Retinospora squarrosa Veitchii" of nur-
 series was Int. by Veitch in 1861.
 Von Siebold & Co. Catalog 1844, as *C. fragrans grfl.* Int. abt. 1880
Chiogenes hispida Prague 1776, as *Vaccinium hispid.* (?)
Cistus corbariensis Vienna 1843
glaucus Monza 1844, as *C. Lædum Lam.* Cult. 1900
heterophyllus Naples 1812 Int. 1817
pulverulentus Hort. Breiter. 1817, as *Helianthemum pulv.* Cult. 1929
villosum tauricum Monza 1842. Cracow 1864, as *C. tauricus* Cult. 1898
Cladastis lutea Prague 1776, as *Sophora tinctoria* Int. 1812
Clematis Buchananiana Rev. Hortic. 1877: 40 - Cult. 1877 Int. ?
florida Sieboldii Von Siebold Co. Catalog 1844 - Int., v. S. to Leiden, Int. 1837
macropetala Monza 1842 Int. 1910

<i>Clematis paniculata</i>	Int. by v. Sieb. to Leiden, 1830	Int. 1864 ?
<i>reticulata</i>	Monza 1842	Int. bef. 1884
<i>songarica</i>	Prague 1844. In France, 1853, as <i>C. Gobleri</i>	Int. bef. 1880
<i>stans</i>	Gartfl. 1870: 203 - From seeds, by Maxim. from Japan	Int. bef. 1880
<i>virginiana</i>	Leiden 1719	Int. 1720
<i>Clerodendron trichotomum</i>	Prince, Catalog 1822, as <i>Volkameria</i> Jap. Petrograd, 1824	Cult. 1880
<i>Clethra barbinervis</i>	Bull. F.S. 1865: 219 - Exhib. in Belgium, by v. Siebold, in 1864	Int. 1870
<i>Colutea melanocalyx</i>	Jardin du Crest, Genève, 1896	Cult. 1905
<i>Cornus alba sibirica</i>	Monza 1813	
<i>asperifolia</i>	Freibourg 1829	Cult. 1836
<i>Bretschneideri</i>	Journ. Soc. Nat'l d'Horticult. France 1899: 1037 - Seeds Int. into Paris in 1880 by Bretschneider	Cult. 1887
<i>mas variegata</i>	Monza 1813, as <i>C. mas</i> fol. var.	
<i>flava</i>	Monza 1813, as <i>C. mas</i> fructu fl.	
<i>sanguinea</i>	Soc. Gardeners - Cult., London, 1730 (<i>Cornus</i> no. 2)	Long cult.
<i>variegata</i>	Soc. Gardeners - Cult., London, 1730	Orig. bef. 1770
<i>Coronilla glauca</i>	Amsterdam 1857, as <i>C. glauca</i>	
<i>Corylopsis spicata</i>	Leiden 1856. Von Siebold & Co. Catalog 1858	Int. 1863
<i>Cotoneaster buxifolia</i>	Ann. de Flore et de Pomone 1833-34: 176 - Cult. since several years at the Jardin des Plantes	Int. 1919
<i>Lindleyi</i>	Cracow 1864	Int. 1924
<i>racemiflora Royleana</i>	Illustr. Hortic. 1853 - then cultivated	
<i>rotundifolia lanata</i>	Gartfl. 1858: 321, as <i>C. lanata</i> - Cult. in England	
<i>uniflora</i>	Vienna 1843	Cult. 1907
<i>Crataegus Crus-galli pyracanthifolia</i>	Prince, Catalog 1831	
<i>salicifolia</i>	Prince, Catalog 1831: 51, as <i>C. linearis</i> ; p. 52, as <i>C. salicifolia</i>	
<i>splendens</i>	Monza 1842	

<i>Crataegus heterophylla</i>	Montpellier 1813 -	Int. abt. 1816
<i>intricata</i>	Leiden 1686	Qult. 1730
<i>Lambertiana</i>	Gartfl. 1864: 313, as <i>C. Lambertii</i> - then cultivated	Cult. 1871
<i>x Lavallei</i>	Cult. at Segrezé since 1867	Orig. bef. 1880
<i>macracantha</i>	Montpellier 1813, as <i>Mespilus glandulosa</i>	Int. abt. 1820
<i>monogyna pendula</i>	Bull. F.S. 1864: 264 - then cult. in Belgium
<i>pentagonia</i>	Hort. Breiter. 1817	Qult. 1836
<i>prunifolia</i>	Montrouil 1774, as <i>Mespilus pr.</i>	Qult. 1797
<i>punctata aurea</i>	Segrezé 1858, as <i>C. P. xanthocarpa</i>
<i>sanguinea</i>	Montpellier 1813, as <i>Mespilus s.</i>	Qult. 1822
<i>sorbifolia</i>	Monza 1813 (cites Hort. Noisett.)
<i>viridis</i>	Montrouil 1774, as <i>Mesp. viridis</i> . Prague 1776	Cult. 1877
<i>Cryptomeria "japonica Jap."</i>	Von Siebold & Co. Catalog 1848, as <i>C. japonica</i>
<i>japonica nana</i>	Carrière, Traité Général Conif. 1867 - Int. bef. 1855	Int. 1861
<i>araucarioïdes</i>	Bull. F.S. 1864: 145 - then cultivated
<i>Cupressus semp. horizont.</i> . before	Carrière, Traité Gén. des Conif. 1867 - Int. 1548 or before
<i>semperv. stricta</i>	Vienna 1842
<i>Cytisus diffusus</i>	Prague 1776, as <i>Genista humifusa</i> . Hort. Breiter. 1817	Int. ?
<i>procumbens</i>	Hort. Breiter. 1817, as <i>Genista pr.</i>	Int. ?
<i>supinus</i>	Uppsala 1748 (C. no. 2)	Int. 1755
<i>Daphne Blagayana</i>	Vienna 1842
<i>collina neapolitana</i>	Prince, Catalog 1831, as <i>D. neapol.</i>	Int. 1875
<i>Mezereum alba</i>	Prince, Catalog 1822
<i>oleoides</i>	Prague 1776	Int. 1815
<i>Decumaria barbata</i>	Prague 1776	Int. 1785
<i>Deutzia parviflora</i>	Jardin du Crest, Geneva, 1896 : refers to Gartfl. 1862 t. 370
<i>purpurascens</i>	Jardin du Crest 1896 - Int. from seeds from Delavay to the Jardin des Plantes	Int. 1888
<i>scabra angustifolia</i>	Gartfl. 1856: 364 - Cult., Petrograd, as <i>D. cren. ang.</i>

<i>Deutzia scabra candidissima</i> Rev.	Hortic. 1872: 60 - Orig. by Otto, Froebel & Co.
<i>staminea</i> Brunon.	of Zurich, as "candidissima alba"
<i>Diospyros Kaki costata</i>	Von Siebold & Co. Catalog 1844, as <i>D. canescens</i>
<i>Lotus</i> .	Rev. Hortic. 1877: 302 - then cultivated .
<i>Leiden 1594</i> .	Leiden 1597
<i>virginiana pubescens</i> .	Jardin des Plantes 1843, as <i>D. pub.</i> Padua 1857
<i>Distylum racemosum</i> .	Cult. 1889
<i>Enretis thrysiflora</i> .	Bretschneider I - Int. by Maximowicz from Japan, 1864 Cult. 1870
<i>Elaeagnus angustifolia spinosa</i> .	Illustr. Hortic. 1854 - Cult., Chiswick, as <i>E. serrata</i> Int. 1900
<i>multiflora</i> .	Fregue 1776
<i>pungens reflexa</i> .	Ségrée 1861 - Aco. to Lavallee, int. by v. Siebold, 1850
<i>Simonii</i> .	Int. 1862
<i>umbellata parvifolia</i> .	Rev. Hortic. 1873: 19 - then cultivated
<i>Elsholtzia fruticans</i> .	Vienna 1842, as <i>E. parvifolia</i> Royle
<i>Enkianthus quinqueflorus</i> .	Illustr. Hortic. 1854 - Cult., Chiswick, as <i>E. polystachya</i>
<i>Ephedra altissima</i> .	Sertum Botanicum 1829 - Int. 1812
<i>fragilis campylopoda</i> .	Monza 1813
<i>Dionymus alata</i> .	Gartfl. 1862: 21 - Cult., Berlin, 1861, as <i>E. c.</i>
<i>europaeus</i> .	Int. by von Siebold before 1856
<i>fimbriata</i> .	Parkinson, Theatrum, 1640 - then cultivated
<i>Fortunei radicans</i> .	Flore des Serres 1851 - then cultivated
<i>reticulata</i> .	Int. by von Siebold, 1860-62
<i>japonica argenteo-var.</i>	Int. by von Siebold, 1830
<i>aureo-var.</i>	Int. by von Siebold, 1830
<i>macroptera</i> .	Bretschneider I - Int. by Sargent into Arn.Ar.b., 1892 Cult. 1906

<i>Buonytus nena</i>	Pavia 1803, as <i>E. linifolia</i>	Int. 1830
<i>Discaphis japonica</i>	A. H. B. 1858 - then recently int. by von Siebold	Int. 1890
<i>Pegus grandifolia</i>	Montrœuil 1774, as <i>F. ferruginea</i>	Int. abt. 1800
<i>sylvatica asplenifolia</i>	Hort. Breiter. 1817. Leiden 1818	
<i>cristata</i>	Monza 1813 (from Hort. Noisett.)	
<i>tricolor</i>	Bull. F.S. 1864: 267 - then cultivated	
<i>Porsythia suspense</i>	Hort. Breiter. 1817, as <i>Syringa suspense</i>	
<i>Fraxinus americana</i>	Leiden 1719	Int. 1724
<i>chinensis</i>	Prince, Catalog 1823	Int. 1891
<i>excelsior aurea</i>	Ghent 1802	
<i>crispa</i>	Monza 1813	
<i>diversifolia</i>	Montpellier 1813, as <i>F. monophylla</i> . Ghent 1817, as <i>F.</i> <i>simplicifolia</i>	
<i>nana Hayne</i>	Ghent 1817, as <i>F. nana Duhamel</i>	
<i>pendula</i>	Ghent 1802	
<i>mandshurica</i>	Cracow 1864, as <i>F. mandshurica</i> Hort. Petrop.	Int. 1882
<i>pennsylvan. lanceolata</i>	Monza 1813. Montpellier 1813, as <i>F. viridis</i>	Int. 1824
<i>quadrangulata</i>	Monza 1813	Int. 1823
<i>rotundifolia</i>	Soc. Gardeners - Cult., London, 1730	Cult. 1750
<i>Geultheria humifusa</i>	Cult., Edinburgh, from seed coll. 1827 by Drummond	Cult. 1830
<i>Genista anglica</i>	Montrœuil 1774. Prague 1776	Cult. 1789
<i>horrida</i>	Montpellier 1813	Cult. 1821
<i>jenuensis</i>	Hort. Dinegrou, Genoa 1802	Cult. 1826
<i>ovata W. & K.</i>	Montpellier 1813, as <i>G. ovata</i> Willd	Cult. 1819
<i>pilosa</i>	Montrœuil 1774. Prague 1776	Cult. 1789
<i>sericea</i>	Hort. Breiter.	Int. 1923
<i>tinctoria</i>	Prague 1776	Cult. 1789
<i>Gleditsia ferox</i>	Montpellier 1813	Int. 1822
<i>Halimium Libanotis</i>	Prague 1776, as <i>Cistus L.</i> Hort. Breit. 1817, as <i>Helli-</i> <i>anthemum Libanoticum</i>	Cult. 1894
<i>Hedera colchica dentata</i>	Gartfl. 1863: 174 - Cult. in Petrograd 1863	

<i>Hedera nepalensis</i>	Prince, Catalog 1851, as <i>H. helix</i> fructu flavo ?	Int. 1880
<i>Helianthemum canum</i>	Pavia 1797, as <i>Cistus canus</i>	Int. 1823
<i>nummularium roseum</i>	Naples 1812, as <i>H. roseum</i>	
<i>œlandicum</i>	Prague 1776, as <i>Cistus o.</i>	
<i>pilosum</i>	Prague 1776, as <i>Cistus p.</i>	Cult. 1933
<i>Hibiscus syriacus</i>	Leiden 1592	Int. bef. 1600
<i>Holodiscus discolor ariaefolius</i>	Gartfl. 1853: 90, as <i>Spiraea a.</i> - Cult. 1853	
<i>Hudsonia ericoides</i>	Prague 1776	Int. 1805
<i>Hydrangea involucrata</i>	Ann. Soc. Agricultr. 1846 - Cult., Ghent, 1846	Cult. 1864
<i>macrophylla</i> Sm.	Ghent 1802, as <i>H. hortensis</i>	
<i>coerulea</i>	Monza 1813, as <i>H. mutabilis</i> fl. coerule.	Cult. 1846
<i>paniculata</i>	Int. by von Siebold into Leiden 1856	Int. bef. 1864
<i>scandens</i>	Catalog, Briollet & Goiffon, 1880	Cult. 1904
<i>serrata</i>	Bull. F.S. 1865: 220 - Int. by von Siebold. Exhibited in Belgium, 1864, as <i>H. Thunbergii</i>	Cult. 1870
<i>Hypéricum cernuum</i>	Journal d'Horticult. Pratique de la Belgique I (1857): 2 - int. as <i>H. oblongifolium</i> Choisy. Int. by Thos. Lobb for Veitch.	Cult. 1868
<i>patulum uralum</i>	Gartfl. 1862: 21 - Cult. in Berlin, as <i>H. uralum</i>	Int. abt. 1910
<i>Iberis Fruitii</i>	Monza 1842	
<i>semperv. Garrexiana</i>	Naples 1812	
<i>Ilex Aquifolium baccifl.</i>	Soc. Gardeners - Cult., London, 1730 (baccis luteis)	
<i>Aquifolium ferox</i>	Naples 1812, as <i>I. ferox</i>	
<i>heterophylla</i>	Monza 1813, as <i>I. echinata</i>	
<i>crenata</i>	Illustr. Hortic. 1858: 8 - Cult., Turnham Green, 1858	Int. 1864
<i>integra</i>	Von Siebold & Co., Catalog 1844	Int. 1864
<i>latifolia</i>	Monza 1813, as <i>I. Cassine latifol.</i> Int. by v. Siebold into Leiden 1829	Int. 1840
<i>micrococca</i>	Bretschneider I: 553 - Int. by Fortune via Standish & Noble abt. 1860	Cult. 1934

- Ilex Perado* Gartpl. 1854: 312 - Int. from Madeira, 1760
Perado platiphylla Montpellier 1813
rotunde Ghent 1802
serrata Von Siebold & Co. Catalog 1845
Jasminum floridum Int. by von Siebold into Ghent 1830
humile glabrum Vienna 1842. Monza 1844, as J. Wallichianum
officinale affine Illustr. Hortic. 1854 - Cult. at Chiswick 1853
grandiflorum Horticulteur Français 1852: 51 - Int. into Europe 1613
Juniperus chinensis aurea Int. by Young's Nursery, Surrey, England, 1872
chinensis mas See J. sphaerica Lindl. sensu van Melle
Fritzeriana See x J. media Fritzeriana van Melle
pyramidalis Beissen. See J. Sheppardii pyramidalis van Melle
communis suecica Nontrœuil 1774
excelsa stricta See J. Sheppardii pyramidalis van Melle
horizontalis Ghent 1817, as J. prostrata Don
() x media Fritzeriana* Int. 1836
van Melle Van Melle - "Review of J. chinensis" 1947: 82 - Probably int. into France in the 1860's by Armand David. Exhibited in Antwerp, 1875, as J. japonica pendula
() Sheppardii van Melle* Int. by Fortune abt. 1850 via Standish & Noble. Cult. in England in 1858 as J. sphaerica glauca Fortune (Gordon Pinetum, 1858: 120)
() Sheppardii pyramidalis van Melle* Von Siebold & Co. Catalogs 1844, as J. japonica and as J. chinensis var. japonica. - Int. by v. Sieb., 1843. Cultivated in England in 1875 as J. excelsa stricta Rolleson
() sphaerica Lindl.* Van Melle - "Review of J. chinensis" 1947: 41, 42 - Int. through seeds, sent by Fortune to Standish &

Noble abt. 1845. First grown in England as *J. chinensis* *muscula* and *J. c. mas*

<i>Juniperus sphaerica Ket-eleeri van Melle</i>	Keesen Nursery Catalog, Aalsmeer 1906, as <i>J. Ketel-eeri</i>	Not listed
<i>Kadsura japonica</i>	Int. by von Siebold into Leiden 1829	Int. 1846
<i>Kerria japonica</i>	Freibourg 1829. Von Siebold, from Japan to Ghent, 1830	Int. 1834 Int. 1805
<i>japonica pleniflora</i>	Von Siebold & Co. Catalog 1844 - Int. 1700	Orig. bef. 1828
<i>Kochia prostrata</i>	Prague 1844	Int. 1806
<i>Laburnum anagyrs. quercifol.</i>	Munich 1829, as <i>Cytisus Lab. quercifolium</i>	Cult. 1935
<i>Larix sibirica</i>	Montreuil 1774	Int. 1845
<i>Lespedeza japonica</i>	Thibaut & Ketelaer 1870-71, as <i>Dosmodium Jap.</i>	Int. abt. 1860
<i>Ligustrum indicum</i>	Venice 1847, as <i>L. Wallichianum</i>	Cult. 1847
<i>japonicum</i>	Int. by von Siebold into Leiden 1829. Freibourg 1829	Int. 1845
<i>obtusifolium</i>	Int. by von Siebold 1843	Int. abt. 1860
<i>ovalifolium</i>	Int. by von Siebold, from Buitenzorg, Java, 1834	Cult. 1847
<i>variegatum</i>	Rev. Hortic. 1862: 350 - Orig. at Paris Museum 1861, as <i>L. ovalifol. aureum</i>
<i>vulgare argenteo-var.</i>	Soc. Gardeners - Cult., London, 1730
<i>euro-var.</i>	Soc. Gardeners - Cult., London, 1730
<i>Lindera umbellata</i>	Int. by von Siebold into Ghent 1830, as <i>Sassafras Thunbergii</i>
<i>umbell. hypoglauca</i>	Bretschneider I: 609 - Living material, by Maximowicz from Japan 1864	Int. 1892
<i>Liriodendron tulip. integrifolia</i>	Cult. 1880
<i>Loiseleuria procumbens</i>	Monza 1813, as <i>fol. integris</i>
<i>Ionicera alpigena nana</i>	Montreuil 1774. Prague 1776, as <i>Azalea procumbens</i>	Cult. 1800
<i>biflora</i>	Leiden 1737
<i>coerulea</i>	Prince, Catalog 1831, as <i>Xylosteum bifl.</i>
	Soc. Gardeners - Cult., London, 1730, as <i>Chamaeceras-</i>	Cult. 1889

<i>Lonicera coerulea altaica</i>	us mont. fruct. sing. coeruleis. Montreuil 1774	... Long cult.
	Botanisch. Literaturblatt. und Annalen der Gewächskunde, Regensburg 1850: 519 - Int. by Ledebour abt.	
<i>1850</i> , as <i>L. Pallasii</i>		
<i>Prinse</i> , Catalog 1823, as <i>Caprifolium pubescens</i>	Int. abt. 1825	
<i>hirsute</i>	Prague 1844	Int. 1878
<i>hispida</i>	Monza 1842. Cracow 1864	Not int.
<i>orientalis</i> Lam.	Hort. Dinegro, Genoa 1802, as <i>L. quercifolia</i>	
<i>Fericlymenum quercina</i>	Hort. Dinegro, Genoa 1802	
<i>serotina</i>	Gartf1. 1853: 3, as var. <i>flava</i> - then cultivated	
<i>semperfirrens sulfurea</i>	Gartf1. 1853: 3 - then cultivated	
<i>superba</i>	Cracow 1864	Int. ?
<i>villosa</i>	Gartf1. 1860: 58 - then cultivated	Cult. 1885
<i>Webbiana</i>	Soc. Gardeners - Cult., London, 1730, as <i>Chamaeceras-</i>	
<i>Xylosteum</i>	<i>us dumetorum</i>	Long cult.
	Prague 1776	
<i>Lycium chinense</i>	Leiden 1740	Long cult.
<i>halimifolium</i>	Hering - Manuel des Plantes I: 44 - Orig. by Cels,	
<i>Magnolia Alexandrina</i>	1851	
<i>grandis</i>	Gartf1. 1856: 223 - Orig. by J. Rinz, Frankfurt, as M. Yulan var. <i>grandis</i> , before 1854	
<i>kobus</i>	Von Siebold & Co. Catalog 1844 - Int. 1804	Int. 1865
<i>Lennei</i>	Gartf1. 1856: 86 - Orig. at Vicenza before 1852. Int. in Germany by A. Topf of Erfurt, 1852	
<i>obovata</i>	Int. 1760. Freibourg 1829	Int. 1865
<i>pyramidea</i>	Petrograd 1824	Cult. 1825
<i>speciosa</i>	Sertum Botanicum 1851 - Orig. bef. 1830. Hering - Manuel des Plantes I - Orig. by Cachet, at Angers	
<i>spectabilis</i>	Cult. 1836	
<i>Mahoberberis Neubertii</i>	dev. Hortic. 1854 - Disc'd 1850. Gartf1. 1855: 98 - Orig. by Auguste Napoleon Baumann	Orig. bef. 1854

<i>Mahonia Aquifolium</i>	Prince, Catalog 1822, as <i>Berberis A.</i> , "Mr. Lewis' Mountain Holly"	Int. 1823
<i>gracilis</i>	Monza 1845	Cult. 1900 ?
<i>japonica</i>	Illustr. Hortic. 1854 - Cult. at Chiswick 1853	Cult. 1853
<i>nauauleensis</i>	Monza 1844, as <i>Berberis nep.</i> Spreng.	Cult. 1850
<i>repens rotundifolia</i>	Rev. Hortic. 1881: 250, as <i>M. Aquifol. rotundifolia</i> - then cultivated	
<i>Malus baccata</i>	Prague 1776	Int. 1784
<i>floribunda</i>	Int. by von Siebold into Leiden before 1856	Int. 1862
<i>glabrata</i> Rehd.	Monza 1842, as <i>Pyrus glabrata</i> Hort. Vindobon.	Int. 1912
<i>micromalus</i>	Von Siebold & Co. Catalog 1845, as <i>Pyrus spectabilis</i> var. <i>japonica Kaido</i> ?	Int. abt. 1856
<i>spectabilis albi-plena</i>	Monza 1813, as <i>Pyrus spect.</i> fl. <i>plenis pallidis</i>	
<i>sylvestris</i>	Montreuil 1774. Monza 1814, as <i>Pyrus Malus</i> var. <i>sylv.</i>	
(**) <i>Sieboldii</i>	Von Siebold & Co. Catalog 1845, as <i>Sorbus Toringo</i>	Int. 1856
<i>Mammillaria vivipara</i>	Prague 1844	
<i>Menispermum dauricum</i>	Gartfl. 1862: 18 - Cult., Petrograd 1862	Int. 1913
<i>Morus alba macrophylla</i>	Von Siebold & Co. Catalog 1845, as <i>M. Tokwa</i> var. <i>macrophylla</i>	Int. 1883
<i>alba pendula</i>	Int. by Teas, 1888	
<i>multicaulis</i>	Thos. Hogg Catalogue 1834, as <i>M. multicaulis</i>	
<i>Myrica Gale</i>	Soc. Gardeners, as <i>Rhus myrtifolia Belgica</i> - Cult. 1730	
<i>Nitraria Schoberi</i>	Prague 1776	Cult. 1750
<i>Orixa japonica</i>	Gartfl. 1855: 36 - Survived the winter in England, 1855	Cult. 1870
<i>Osmanthus Fortunei</i>	Von Siebold & Co. Catalog 1844, as <i>O. Japonica</i>	Cult. 1856
<i>Pachysandra terminalis</i>	Gartfl. 1863: 192 - then cultivated	Int. 1856
<i>Paederis scandens</i>	Prague 1776. Prince, Catalog 1830, as <i>P. foetida</i>	Int. 1907
<i>Paeonia suffr. papaveracea</i>	Von Siebold & Co. Catalog 1844 - Int. 1789	Int. 1806
<i>Parthenocissus tricuspidata</i>		

<i>Veltchii</i>	Jardin du Crest 1896 - Int. 1868	Cult. 1924
<i>Ponstemon fruticosus</i>	Prague 1844, as <i>P. fruticosus</i> Booth	Cult. 1825
<i>Philadelphus cor. pumilus</i>	Freibourg 1829, as var. <i>nanus</i>	Cult. 1825
<i>laxus</i>	Monza 1813	Cult. 1825
<i>mexicanus</i>	Journ. Soc. Nat'l d'Horticul. de France 1899: 796 - Int. by Hartweg into R. H. S. Gdn. in 1895	Cult. 1842
<i>nepalensis</i>	Prince, Catalog 1850	Cult. 1888
<i>satsumanus</i>	Von Siebold & Co. Catalog 1845	Int. bef. 1860
<i>Phillyria latifol. spinosa</i>	Prince, Catalog 1820	Cult. 1903 ?
<i>Photinia glabra</i>	Illustr. Hortic. 1854 - Cult. at Chiswick 1853	Cult. 1800
<i>Phyllodoce coerulea</i>	Montreuil 1774. Prague 1776, as <i>Andromeda coerulea</i>	Cult. 1800
<i>Physocarpus Opulus luteus</i>	Prince, Catalog 1851, as <i>Spiraea Opulus lutea</i>	Orig. bef.
<i>Picea Abies Cianbrasil.</i>	Monza 1842, as <i>Picea exc. Cl.</i> Amsterdam 1857, as <i>Pinus Picea Cl.</i>	1864
<i>Abies elegans</i>	Gartfl. 1857: 534 - then cultivated	
<i>monstrosa</i>	Gartfl. 1857: 534 - then cultivated	
<i>nana</i>	Amsterdam 1857, as <i>Pinus Picea nana</i>	
<i>nigra</i>	Monza 1842, as <i>Picea excelsa nigra</i>	
<i>pendula</i>	Monza 1842, as <i>Picea excelsa pendula</i>	
<i>pygmaea</i>	Monza 1842, as <i>Picea exc. pygmaea</i>	
<i>viminalis</i>	Vienna 1842, as <i>Pinus Abies viminalis</i>	
<i>jezoensis</i>	Gartfl. 1852: 320 - Illustr. in Flore des Serres	Int. 1878
<i>orientalis</i>	1851. Int. by Standish & Noble before 1852	Int. 1857
<i>pungens</i>	Montreuil 1774	Int. 1857
<i>Pinus cembroides Parryana</i>	Gartfl. 1855: 35 - Cult. in England as <i>Abies Monz- iesii</i>	Int. 1862
<i>halepensis brutia</i>	Journ. Soc. Nat'l d'Horticul. France 1855: 84 - Listed among novelties of 1854, as <i>P. Parryana</i>	Int. abt. 1885
<i>Mugo rostrata</i>	Vienna 1842, as <i>P. brutia Tenore</i>	
<i>rotundata</i>	Vienna 1842. Amsterdam 1857, as <i>P. uncinata Ramond</i>	
	Vienna 1842. Monza 1844, as <i>P. obliqua</i>	

<i>Pinus nigra caramanica</i>	<i>Vienna</i> 1842, as <i>P. Pallasiana</i>	Int. 1863
<i>Fraxinus</i>	<i>Illustr. Hortic.</i> 1854 - Cult. at Chiswick 1853	Int. 1863
<i>tabulaeformis</i>	<i>Illustr. Hortic.</i> 1854 - Cult. at Kew 1853, as <i>P. sinensis</i>	Int. 1862
<i>Platanus acerifolia</i> <i>cantabrigiensis</i>	Bull. Soc. Dendrologique de France, Aug. 15, 1920: 44 - known in England before 1751	Int. 1860
<i>acerifolia pyramidalis</i>	Bull. Soc. Dendrologique de France, Aug. 15, 1920: 44 - Orig. 1850	Int. 1860
<i>occidentalis</i>	Bull. Soc. Dendrologique de France, Aug. 15, 1920: 44 - Int. into England by Tradescant in 1636	Int. 1640
<i>orientalis cuneata</i>	Munich 1829, as <i>P. cuneatus</i> Willd.	Int. 1840
<i>Podocarpus macrophyllus</i> <i>Maki</i>	Int. by v. Sieb. into Ghent, 1830, as <i>P. chinensis</i> Sw.	Int. 1840
<i>Polygonum multiflorum</i>	Petrograd 1824 ? Von Sieb. & Co. Catalog 1845	Int. 1881
<i>Foncirus trifoliata</i>	Prince, Catalog 1823, as <i>Citrus trifoliata</i>	Int. abt. 1850
<i>Populus euphratica</i>	Gartfl. 1858: 170 - Wagner nursery Catalog, Riga, as <i>P. diversifolia Schrenck</i> (from <i>Songaria</i>)	Cult. 1920
<i>nigra Italica</i>	Rev. Hortic. 1867: 305 - From Italy into France, 1745 Orig. bef. 1750	Orig. bef. 1750
<i>laurifolia Lindleyana</i>	Prague 1844, as <i>P. Lindleyana</i> Hort.	Orig. bef. 1867
<i>suaveolens Fisch.</i>	Petrograd 1824	Int. 1834
<i>tremula pendula</i>	Gartfl. 1862: 16 - then cult. in Petrograd	Cult. 1905
<i>Poterium spinosum</i>	Uppsala 1748, as <i>P. Sanguisorba</i> . Strasbourg 1807	Int. 1874 ?
<i>Prunus Amygdalus amara</i>	Uppsala 1748, as <i>Amygdalus</i> var. <i>amara</i>	Int. abt. 1855?
<i>Amygdalus dulcis</i>	Monza 1813, as <i>Amygdalus communis dulcis</i>	Int. 1818
<i>fragilis</i>	Monza 1842, as <i>Amygdalus communis fragilis</i>	Int. 1890
<i>angustifolia</i>	Munich 1829, as <i>Cerasus chilensis</i> Mohr.	Int. 1874 ?
<i>glandulosa albo-plena</i>	Curtis Botanical Magazine t. 2176, as <i>Amygdalus pumilus</i> , int. by Fortune, 1846	Int. abt. 1855?
<i>Mahaleb xanthocarpa</i>	Naples 1819, as <i>Prunus M. fructu flava</i>	Int. 1818
<i>maritima</i>	Hort. Breiter. 1817	Int. 1818
<i>microcarpa</i>	Monza 1842	Int. 1890

- Prunus Mume albo-plena* Von Siebold & Co. Catalog 1848
nepaulensis Illustr. Hortic. 1854 - Cult. at Chiswick, as *P. nepal.* Int. 1881
pedunculata Prague 1844, as *Amygdalus p. Pallas* Int. bef. 1860
Persica versicolor Illustr. Gartenzzeitung 1861 - Int. by von Siebold Cult. 1864
pumila depressa Prince, Catalog 1822, as *P. depressa* Int. 1916
Reverchonii Hort. Breiter. 1817, as *P. Pygmaea Willd.* Int. 1820
serrotina salicifolia Montreuil 1774, as *Cerasus serrotina* Int. 1820
serrulata Amanogawa Paul Russell - The Orient. Flwg. Cherries: 27 - Int.
 by David Fairchild 1906
 Fugenzzo (James H.
 Veitch) Russell - Orient. Flwg. Cherries: 46 - Int. by
 Veitch, 1892
Lannesiana Rev. Hortic. 1866: 370 - then cult. as *Cerasus Lann.* Int. bef. 1870
Ukon Von Siebold & Co. Catalog 1867, as *Cerasus (Pr.) pseudocerasus* fl. Pl. virentibus?
sibirica Prague 1776
subhirtella autumnalis Russell - Orient. Flwg. Cherries: 13 (Jugatsu-Zakura)
 - Int. into England abt. 1906
pendula Ellwanger & Barry Catalog 1846-47, as *Cerasus pendula*
tenella campestris Monza 1842, as *Amygdalus nanus camp.*
tomentosa Von Siebold - "Sur l'Etat" - Int. by him bef. 1863 .. Cult. 1870
triloba (single-flwd.) Rev. Hortic. 1871: 388 - then cultivated
Pseudosassa japonica Von Siebold & Co. Catalog 1845, as *Bambusa metase*
Pterostyrax hispida L'Horticulteur Francais 1870-71: 329 - Newly int. by
 Thibaut & Ketelaer
Punica Granatum flavescens Prince, Catalog 1820
Granatum nana Montreuil 1774. Ghent 1817, as *P. nana*
pleniflora Prince, Catalog 1820
Pyrus nivalis Prague 1776
Pashia Illustr. Hortic. 1854 - Cult., Chiswick, as *P. vario-*

<i>Quercus Delachampii</i>	<i>lossa</i>	Int. 1908
<i>Frainetto</i>	Monza 1844	Cult. 1900
<i>glandulifera</i>	Naples 1819	Cult. 1838
<i>Hartwissiana</i>	Von Siebold & Co. Catalog 1844, as <i>Q. stellata</i> Thunb.	
<i>heterophylla</i>	Amsterdam 1857	Cult. 1877
<i>x hispanica dentata</i>	Gartfl. 1856: 61 - Fruiting in Nikita Gdn., Crimea	
<i>h. diversifolia</i>	1856	Cult. 1857
<i>Iberica</i> Bieb.	Monza 1813	Cult. 1822
<i>Ilex Fordii</i>	Vienna 1842, as <i>Q. Cerris fulhamensis</i>	
<i>gramuntia</i>	Journ. Soc. Nat'l d'Horticul. de France 1856: 372,	
<i>rotundifolia</i>	as <i>Q. Ilex diversifolia</i> - then cultivated	
<i>inectoria</i>	Gartfl. 1862: 16 - Cult., Petrograd, as <i>Q. i. Steven</i>	Cult. 1890
<i>laevis</i>	Journ. Soc. Nat'l d'Horticul. de France 1856: 372,	
<i>macrantha</i>	as <i>Q. Fordii</i> - then cultivated	
<i>mongolica Turcz.</i>	Montreuil 1774, as <i>Q. gramuntia</i>	
<i>Muehlenbergii</i>	Montpellier 1813	
<i>petraea lacinata</i>	Hort. Breiter. 1817	Int. abt. 1834
<i>mespilifolia</i>	Monza 1813	Int. bef. 1873
<i>purpurea</i>	Gartfl. 1862: 18 - then cult. in Petrograd	
<i>pyrenaica</i>	Monza 1844, as <i>Q. mongolica Booth</i>	Int. 1879
<i>reticulata</i>	Hort. Breiter. 1817, as <i>Q. castanifolia</i>	Int. 1822
<i>robur fastigiatum</i>	Jardin des Plantes 1843	
<i>filicifolia</i>	Jardin des Plantes 1843	
<i>pectinata</i>	Monza 1842	
	Montpellier 1813, as <i>Q. Toza Bosc</i>	Int. 1822
	Journ. d'Horticulture Pratiq. 1846: 16 - Cult.,	
	Orleans 1832	Cult. 1883
	Monza 1813. Montpellier 1813	
	Gartfl. 1862: 18 - then cult. in Petrograd	
	Journ. Soc. Nat'l d'Horticul. France 1856: 372 -	
	then cultivated	

<i>Quercus robur variegata</i>	Monza 1813, as Q. robur fol. var.	Int. 1819
<i>stellata</i>	Monza 1813	
<i>undulata</i>	Journ. Soc. Nat'l d'Horticul. de France 1856: 372 - then cultivated	Int. 1917
<i>Rhamnus Alaternus angustif.</i>	Soc. Gardeners - Cult., London, 1750	
<i>Alaternus integrifolia</i>	Montpellier 1813, as R. integrifolia	Cult. 1871
<i>californica</i>	Illustr. Hortic. 1854 - Cult., Chiswick, 1853	Long cult.
<i>Frangula</i>	Montreuil 1774	Cult. 1860
<i>latifolia</i>	Montreuil 1774	Cult. 1860
<i>libanotica</i>	Rev. Hortic. 1880: 80 - Int. via Petrograd	Cult. 1905
<i>Pallasii Fisch. & Meyer</i>	Vienna 1843. Monza 1844	Cult. 1890
<i>spathulæfolia</i>	Vienna 1843. Monza 1844	Cult. 1870
<i>Rhododendron carolinianum</i>	Monza 1814, as R. punctatum Vent.	Cult. 1815
<i>dauricum</i>	Montreuil 1774. Prague 1776	Cult. 1780
<i>halense</i>	Cracow 1864, as R. intermedia Tausch	Cult. 1870
<i>lapponicum</i>	Prague 1776, as Azalea lapponica	Int. 1825
<i>linearifolium</i>	Bretsch. I: 607 - Int. by Maximow. from Japan, 1864	Int. bef. 1867
<i>luteum</i>	Prague 1776, as Azalea pontica	Int. 1792
<i>Metternichii</i>	Int. by von Siebold bef. 1863	Int. ?
<i>obtusum</i>	Prince, Catalog 1830	Int. abt. 1844
<i>reticulatum</i>	Bretschneider I: 607 - Int. by Maximowicz from Japan, as R. rhombicum, 1864	Int. 1865
<i>scabrum</i>	Bretschneider, as cited - Int. by Maximowicz from Japan, as R. sublanceolatum, 1864	Cult. 1911
<i>Wallichii</i>	Gartfl. 1855: 36 - Survived the winter in England, 1855	Cult. 1856
<i>Rhodothamnus Chamaecistus</i>	Montreuil 1774. Prague 1776	Int. abt. 1790
<i>Rhodotypos scandens</i>	"Hortus Academicus" - Int. by von Siebold into Leiden before 1860	Int. 1866
<i>Rhus chinensis</i>	Cox: 42 - Cult. at Chelsea, 1710	Cult. 1784
<i>coriaria</i>	Leiden 1594	Cult. 1648

<i>Rhus succedana</i>	Prague 1776. Int. by v. Sieb. into Ghent 1830	Cult. 1863
<i>Toxicodendron</i>	Leiden 1685. Uppsala 1748	Cult. 1937
<i>typhina</i>	Leiden 1628	Cult. 1629
<i>verniciflora</i>	Int. by von Siebold into Leiden 1829	Cult. 1874
<i>Ribes aciculare</i>	Monza 1842	Cult. 1903
<i>Dikuscha</i>	Prague 1844	Int. bef. 1911
<i>fasciculata</i>	Rev. Hortic. 1877: 436 - Cult. as <i>R. japonica</i>	Cult. 1844
<i>Grossularia uva-crispa</i>	Soc. Gardeners - Cult., London, 1730
<i>Houghtonianum pallidum</i>	Amsterdam 1857, as <i>R. pallidum</i>
<i>multiflorum</i>	Hort. Breiter. 1817	Int. abt. 1818
<i>rotundifolium</i>	Hort. Berol. 1806, as <i>R. triflorum</i>	Cult. 1809
<i>stenocarpum</i>	Jardin du Crest, Genève, 1896	Cult. 1903
<i>Robinia neo-mexicana</i>	Jardin du Crest, Genève, 1896 - Int. into the Arnold Arboretum 1892	Int. 1921
<i>Pseudoacacia</i>	Int. into France through seeds, by Jean Robin, 1601. •	Int. abt. 1635
<i>Decaisneana</i>	Hovey's Magazine 1862: 117 - Orig. by Villeneuve, at Manosque, 1862
<i>x Rosa alba</i> "Maiden's Blush"	Orig. at Kew, 1807. Not listed in the MANUAL	Cult. bef. 1860
<i>alba</i> "Mme. Plantier"	Orig. by Plantier, 1835. Not listed in the MANUAL
<i>Rosa agrestis</i>	Montpellier 1813, as <i>R. septium Thunill.</i>	Cult. 1878
<i>Banksiae luteoœs</i>	Von Siebold & Co. Catalog 1844 - Int. 1824	Int. abt. 1870
<i>normalis</i>	Von Siebold & Co. Catalog 1844, as <i>R. Banksiae</i> - Int. 1807
<i>borbonia</i>	Monza 1814	Cult. 1877
<i>canina</i>	Uppsala 1748. Montrouil 1774	Orig. bef. 1819
<i>carolina</i>	Montrouil 1774. Prague 1776	Int. 1826
<i>villosa</i>	Prague 1844, as <i>R. Lyonii Bursh.</i>	Cult. 1877
<i>centifolia parvifolia</i>	Freibourg 1829, as <i>R. burgundica</i> ?
<i>chinensis minima</i>	Von Siebold & Co. Catalog 1844 - as <i>R. Lawrenceana</i> , int. 1810

<i>Rosa chinensis mutabilis</i> ..	Hort. Breiter. 1817, as <i>R. mutabilis</i> ?	Cult. 1934
<i>chinensis semperflorens</i> ..	Freibourg 1829, as <i>R. indica sempervifl.</i>	Int. 1910
<i>davurica</i>	Prague 1844	
<i>Eglanteria</i>	Uppsala 1748. Montreuil 1774	
<i>gallica officinalis</i>	Naples 1812, as <i>R. provincialis</i>	
<i>versicolor</i>	Monza 1814. Hort. Breiter. 1817	Cult. 1875
<i>inodora</i>	Hort. Breiter. 1817, as <i>R. caryophyllacea</i>	
<i>Iwara</i>	Von Siebold & Co. Catalog 1844 - Int. 1852	
<i>Manetti</i>	Rev. Hortic. 1883: 143 - Orig. 1832; from Monza into England in 1840	
<i>marginalis</i>	Prague 1844, as <i>R. Jundzillii</i>	Cult. 1870
<i>montana</i>	Hort. Breiter. 1817. Naples 1819	Cult. 1872
<i>multiflora</i>	Von Siebold & Co. Catalog 1844 - Int. 1804. Monza 1814. Freibourg 1829	Int. bef. 1868
<i>nitida</i>	Leiden 1649	Cult. 1807
<i>pendulina</i>	Montreuil 1774. Prague 1776	Cult. 1789
<i>reverse</i>	Hort. Breiter. 1817	Cult. 1820
<i>Roxburghii</i>	Freibourg 1829. Prince, Catalog 1830	
<i>rubrifolia</i>	Strasbourg 1807. Monza 1813. Montpellier 1813	Int. 1814
<i>sempervirens</i>	Montreuil 1774. Prague 1776	
<i>prostrata</i>	Montpellier 1813, as <i>R. prostrata</i>	
<i>scandens</i>	Naples 1812, as <i>R. scandens</i>	
<i>spinosa pimpinellifolia</i>	Prague 1776. Ghent 1802. Hort. Dinegro, Genoa 1802	Cult. 1838
<i>stylosa</i>	Montpellier 1813	Int. bef. 1807
<i>virginiana</i>	Montreuil 1774	Cult. 1880
<i>Woodsonii</i>	Monza 1842	
<i>Rubus caesius</i>	Ghent 1802	Int. 1789
<i>Chamaemorus</i>	Prague 1776	
<i>craatægifolius</i>	Bretschneider I: 605 - Int. from Japan, through seed, by Maximowicz, 1863	Int. 1875
<i>fruticosus</i>	Ghent 1802	

<i>Rubus hispida</i>	Prague 1776	Prague 1776	Cult. 1925
<i>idaea</i>	Uppsala 1748.	Ghent 1802	
<i>nemorosa</i>	Hort. Breiter. 1817, as <i>R. nemorosus</i> Willd.		
<i>nutans</i>	Journ. d'Horticul. Pratique de la Belg. II (1858) -		
<i>parvifolius</i>	cult. in England 1858		Cult. 1860
<i>plicatifolius</i>	Prague 1776		Int. 1818
	Gartfl. 1862: 18 - Cult. in Petrograd as <i>R. villosus</i>		
<i>Ait.</i>	Ait.		
<i>trivialis</i>	Hort. Breiter. 1817		Cult. 1825
<i>ulmifolia</i>	Munich 1829		
<i>velox</i>	Petrograd 1862		
<i>Ruscus aculeatus</i>	Uppsala 1748, (<i>Ruscus</i> no. 1)		Cult. bef. 1750
<i>aculeatus angustifolius</i>	Apothecaries' Gorden, Paris 1769, as <i>R. angustifolius</i>		
<i>latifolius</i>	Apothecaries' Gorden, Paris 1769, as <i>R. latifolius</i> ..		
<i>Sagaretia theezans</i>	Prague 1776, as <i>Rhamnus theezans</i> . Brought by von Siebold into Leiden, 1829. Prince, Catalog 1830	Int. 1908	
<i>Salicornia fruticosa</i>	Prague 1776	Int. abt. 1800	
<i>perennis</i>	Strasbourg 1807, as <i>S. herbacea</i>	Cult. ?	
<i>Salix alba vitellina</i>	Montreuil 1774. Ghent 1802, as <i>S. vitellina</i>		
<i>ambigua</i>	Hort. Breiter. 1817	Cult. 1872	
<i>surita</i>	Montreuil 1774. Prague 1776	Long cult.	
<i>Bebbiania</i>	Prince, Catalog 1831, as <i>S. rostrata</i> ?	Int. 1889	
<i>caesia</i>	Amsterdam 1857	Cult. 1871	
<i>cineræa</i>	Montreuil 1774. Prague 1776	Long cult.	
<i>daphnoides</i>	Strasbourg 1807. Ghent 1817	Cult. 1829	
<i>dasyclados</i>	Hort. Breiter. 1817, as <i>S. acuminata</i> Sm.	Cult. 1829	
<i>formosa</i>	Montreuil 1774	Cult. ?	
<i>fragilis</i>	Montreuil 1774. Prague 1776	Long cult.	
<i>glebra</i>	Vienna 1842	Cult. 1870	
<i>glaucia</i>	Montreuil 1774. Prague 1776	Cult. 1813	
<i>grandifolia</i> Ser.	Munich 1829. Cracow 1864	Cult. 1871	

<i>Salix hastata</i>	Montreuil 1774. Prague 1776	Int. 1780
<i>helvetica</i>	Hort. Breiter. 1817	Cult. 1872
<i>herbacea</i>	Prague 1776	Cult. 1789
<i>hippophaiifolia</i>	Ghent 1817	Cult. 1829
<i>holosericea</i>	Monza 1813. Ghent 1817	Cult. 1829
<i>japonica</i> Thunb.	Int. by von Siebold 1841	Cult. 1874
<i>larata</i>	Montreuil 1774. Prague 1776	Cult. 1789
<i>leponum</i>	Prague 1776	Cult. 1789
<i>lividia</i>	Ghent 1817, as <i>S. Sterkeensii</i> ? Freibg. 1829, as <i>S. de-</i> <i>pressa</i>	Int. 1911
<i>lucida</i>	Prince, Catalog 1822	Cult. 1872
<i>Myrsinites</i>	Montreuil 1774. Prague 1776	Cult. 1830
<i>pedicellaris</i> Pursh	Jardin des Plantes 1843, as <i>S. pedicellata</i> P. L., Am. sept.	Cult. 1789
<i>phylicifolia</i>	Prague 1776	Int. 1911
<i>purpurea</i> Lambertiana	Prince, Catalog 1831	Cult. 1809
<i>pendula</i>	Gartfl. 1862: 18 - Cult. in Petrograd as <i>S. americana</i> pendula and <i>S. purpurea pendula</i>	Long cult.
<i>repens</i>	Montreuil 1774. Prague 1776	Cult. 1789
<i>reticulata</i>	Prague 1776
<i>rubens</i> palustris	Monza 1813, as <i>S. Russelliana</i>
<i>Seringeana</i>	Strasbourg 1807. Munich 1829. Amsterdam 1857	Cult. 1872
<i>serpyllifolia</i>	Prague 1776. Ghent 1817, as <i>S. serpyllifolia</i> Willd. ..	Cult. 1898
<i>silesiaca</i> Willd.	Vienna 1842	Cult. 1876
<i>undulata</i>	Monza 1813
<i>Sambucus nigra lechinata</i>	Uppsala 1748 (Sambucus no. 1, var. b)
<i>racemosa laciniata</i>	Amsterdam 1857
<i>Santolina neapolitana</i>	Naples 1812	Cult. 1930
<i>Sapindus Mukorossi</i>	Int. by von Siebold 1830	Cult. 1877
<i>Sapium seiferum</i>	Cox: 42 - Cult. at Chelsea, 1705. Prince, Catalog 1823, as <i>Stillingia s.</i> Von Siebold & Co., Catalog

<i>Schisandra coccinea</i>	1845, as <i>Stillingia</i> s.	Hort. Breiter. 1817. Prince, Catalog 1823	Cult. 1850
<i>Smilax aspera mauretanica</i> .	Naples 1812, as <i>S. mauretanica</i>		
<i>China</i>	Int. by von Siebold 1829	Int. 1759 and again 1907 ?	
<i>Solanum Dulcam. indivisum</i> .	Gartfl. 1862: 18 - Cult. in Petrograd as <i>S. persicum</i> , 1862		
<i>Sophora japonica pendula</i> ..	Prince, Catalog 1831		
<i>japonica pubescens</i>	Prague 1776, as <i>S. tomentella</i> L. Montpellier 1813	Cult. 1830	
<i>Sorbus Aria</i>	Leiden 1686	Long cult.	
<i>Aria Decaisneana</i>	Lavallee - Icones Arbor. Segrezianum (1880) t. 17 -		
<i>Stachyurus praecox</i>	Cultivated at Segrezee since 1858	Cult. 1880	
<i>Stauntonia hexaphylla</i>	Int. by von Siebold before 1863	Cult. 1865	
<i>Stephenandra incisa</i>	Rev. Hortic. 1872: 291 - Cult. at Lake Maggiore, 1872	Int. 1876	
<i>Stewartia monadelpha</i>	Gartfl. 1854: 411, as <i>Spiraea</i> 1. - then cultivated ..	Cult. 1872	
<i>ovata</i>	Hovey's Magazine 1863 - Int. by Thos. Hogg into the U. S. from Japan, 1862	Cult. 1803	
<i>Pseudocamellia</i>	Ghent 1817	Cult. 1800 ?	
<i>Styrax Obassia</i>	Int. by von Siebold before 1863	Cult. 1874	
<i>Syphoricarpos albus</i>	Hovey's Magazine 1863: 10 ("obtusa", probably an error for Obassia) - int. by Thos. Hogg into the U. S. from Japan, 1862		Int. 1879
<i>Symplocos tinctoria</i>	Prague 1776, as <i>Vaccinium</i> album ? Prince, Catalog 1820		Int. 1879 ?
<i>Syringa emurensis</i>	Prague 1776, as <i>Hopex tinctoria</i>		Cult. 1780
<i>persica alba</i>	Prince, Catalog 1822, as <i>S. sibirica</i>		Int. abt. 1855
<i>Tamarix africana</i>	Ghent 1802		
<i>parviflora</i>	Soc. Gardeners - Cult., London, 1730		
	Naples 1812		
	Tuinbouwflora 1856: 23 - Cult., Lyon 1841; at Medical School, Paris 1843		Cult. 1853

- Teucrium Chamaedrys* Uppsala 1748 (*Teucrium* no. 4) Cult. 1750
Thuja occ. *Douglasii-pyram.* Bull. F.S. 1864: 145 - Exhibited in Belgium, 1865,
 as *T. asplenifolia*?
occ. Elwangeriana Int. by Ellwanger & Barry, bef. 1867, as "Tom Thumb"
Vervaeana Bull. F.S. 1864: 147 - Exhibited in Belgium, 1865,
 as *T. Vervaeana*
orientalis aurea Bull. F.S. 1865: 222 - Exhib. in Belgium, 1864
decussata Carrière - *Traité Gén. des Conif.* (1867) - Int. abt.
 1852
flagelliformis Carr. - *Traité Gén. des Conif.* (1867) - Disc'd abt.
 1818
Moldensis Journ. Soc. Nat'l d'Horticult. France 1855: 438 -
 Listed as *Biota Moldensis*, "a new conifer". Originated at Meaux, France, 1852
stricta Vienna 1842, as *T. orient.* *pyramidalis*
Thujopsis dolabrata nana .. Carrière - *Traité Général des Conifères* (1867) - Int.
 from China, 1861
dolabrata variegata Bull. F.S. 1864: 144, 181 - Exhib. in Belgium, 1865
Thymus Serpyllum lanugin. Uppsala 1748
Tilia americana macrophyll. Bull. F.S. 1864: 289, as *T. laxiflora* - then cult.
desystyla Gartfl. 1862: 17 - then cult. in Petrograd Cult. 1880
flaccida Bull. F.S. 1864: 288, as *T. praecox* - then cultivated
flavescens Gartfl. 1862: 21 - then cult. in Berlin
neglecta Monza 1813, as *T. pubescens* Ait. Cult. 1830
platyphyllus aurea Prince, Catalog 1831
rubra Prince, Catalog 1831, as *T. p. corallina*
vitifolia Journ. d'Horticult. Pratique 1847: 215 - cult. in Belgium 1847
Trachelospermum jasmin. Jardin Fleuriste 1851 t. 61 - Cult. 1851
Tripterygium Regolii Brötschneider I: 604, as *T. Wilfordii* - int. by Maximowicz from Kyushyu, 1863 (seeds) Int. 1905

<i>Trochodendron aralioides</i> ..	Bretschneider I: 602 - Int. by Maximowicz from Japan.
<i>Ulmus carpiniifol. suberosa</i> fulva ..	Flowered in Petrograd in 1876 .. Cult. 1894
<i>U. carpiniifol. suberosa</i> pavilosa ..	Pavlovsk 1824, as U. s. Prince, Catalog 1831 .. Cult. 1830
<i>U. carpiniifol. suberosa</i> fulva ..	Monza 1813 .. Amsterdam 1857, as U. <i>pumila</i> Willd. ? .. Cult. 1860
<i>Vaccinium Arctostaphylos</i> ..	Prague 1776 .. Cult. 1800
<i>Myrtillus</i> ..	Montreuil 1774. Prague 1776 .. Cult. 1789
<i>Oxycoccus</i> ..	Montreuil 1774. Prague 1776 .. Cult. 1789
<i>uliginosum</i> ..	Montreuil 1774. Prague 1776 .. Cult. 1789
<i>virgatum tenuellum</i> ..	Monza 1842, as <i>V. tenuellum</i> Ait. .. Cult. 1898
<i>Vitis-idaea</i> ..	Montreuil 1774. Prague 1776 .. Cult. 1789
<i>Viburnum burejaeticum</i> ..	Gartfl. 1862: 407 - Int. by Maximowicz .. Cult. 1900
<i>grandiflorum</i> ..	Illustr. Hortic. 1854 - Cult. at Chiswick 1853 .. Int. 1914
<i>japonicum</i> ..	Monza 1844 .. Int. 1859
<i>Lantana</i> ..	Uppsala 1748 (<i>Viburnum no. 1</i>) .. Long cult.
<i>nudum angustifolium</i> ..	Journ. d'Horticult. Pratique IV 1847: 215 - Cult. in Belgium as <i>V. anglicum</i> ..
<i>Opulus roseum</i> ..	Apothecaries' Garden, Paris, 1769. Uppsala 1748 ..
<i>prunifolium</i> ..	Leiden 1686 ..
<i>tomentosum</i> ..	Neerland's Plantentuin 1867 t. 51 - Int. by von Siebold through seeds, 1862 ..
<i>Vinca minor atropurpurea</i> ..	Prince, Catalog 1831, as <i>V. minor punicea</i> ..
<i>minor multiplex</i> ..	Prince, Catalog 1831, as <i>V. minor pl.</i> ..
<i>Vitex Agnus-castus rosea</i> ..	Naples 1812. Prince, Catalog 1831 ..
<i>Vitis Davidii</i> ..	Rev. Hortic. 1883: 5 - Int. 1881 ..
<i>Thunbergii</i> ..	Von Siebold - "Sur l'Etat" - Int. by him bef. 1863 .. Cult. 1885
<i>vulpina</i> L. ..	Veendorp & Baas Becking - "Hortus Academicus" - Cult. in Leiden 1719 ..
<i>Wisteria floribunda</i> ..	Hort. Breiter. 1817, as <i>Glycine fl.</i> Willd. .. Int. 1850
<i>japonica</i> ..	Int. by von Siebold into Ghent 1830 ..
<i>Xanthoceras sorbifolia</i> ..	Gartfl. 1876: 346 - Specimens then found in the

Crimea, planted about 50 years ago (= abt. 1826) .. Int. 1866

<i>Zanthoxylum planispinum</i>	Int. by von Siebold into Leiden before 1860	Cult. 1880
<i>achinifolium</i>	Bretschneider I: 603 - Seeds brought from Japan by Maximowicz. Flowered in 1871	Cult. 1877
<i>Zelkova serrata</i>	Von Siebold & Co., Catalog 1844, as <i>Ulmus Keiski</i> ?	Int. abt. 1860
<i>Zenobia pulviflora nuda</i> ..	Monza 1813, as <i>Andromeda cassinifolia</i>	
<i>Zygophyllum Fabago</i>	Prague 1776	

(*) See introduction, page 249.

(**) *Malus Toringo* (Sieb.) Oudemans in *Tuinbouwflora* III: 148 (1856).